⑩ 日本国特許庁 (JP)

①特許出願公開

⑩公開特許公報(A)

昭55-36326

①Int. Cl.³ A 41 B 13/02 識別記号

庁内整理番号 7149-3B

ŧ

砂公開 昭和55年(1980)3月13日

発明の数 1 審査請求 未請求

(全 3 頁)

倒つかいすておむつ

②特

願 昭53-106858

22H

願 昭53(1978)8月31日

⑰発 明 者 西沢一徳

船橋市丸山4丁目7番11号

仰発 明 者 伊藤理

船橋市行田8

⑪出 願 人 花王石鹼株式会社

東京都中央区日本橋茅場町1丁

目1番地

個代 理 人 弁理士 古谷馨

明 細 4

1. 発明の名称

つかいすておむつ

- 2. 停許請求の範囲
 - 1. 少なくとも吸収部と眩吸収部に接する水不透過性シートを有するつかいすておむつにおいて、眩水不透過性シートの眩吸収部と接する個に、水により影測する性質のある高分子物質と、粉末もしくは固形状の酸もしくは塩基から過ばれる薬剤と、眩薬剤の水溶液のpuにより変色する染料とを混合した混合物を熔酸強布して成るつかいすておむつ。
- 2. 混合物の強布を、吸収部と水不透過性シートとを固着するホットメルト接着剤に混合物を混入することにより行う特許請求の範囲第1項記載のつかいすておむつ。
- 8. 発明の詳細な説明

本発明は尿量を限で判断できるつかいすてお むつに関する。

つかいすておむつは、使用簡便性への要求増

又、水不透過性のシートは、おむつカバーを 併用する必要がないため、使用中に破損することなく、又、見た目にも内部の尿の色等の不快 感を与えないよう半透明性のものが好まれてい る。特に、ポリエチレンシートが多く用いられ ており低密度ポリエチレンシートを25 4 前後

これらの欠点を解決する工夫として、水溶性の染料で水不透過性シートの吸収パッド側に印刷をほどこし、湿潤により、色が消えるようにしたものがあるが、これは、水不透過性シート内側の湿気が高くなり、赤坊の運動がはげしいときは、まさつにより消失することが欠点となり、かつ水不透過性シートに別に印刷しなければならない工程上のロスがある。

- 5 -

運動が厳しくても薬剤や染料が移動する事を防 ぐと共に少量の水分では変色しない効果を持つ。

本発明において上記混合物を熔融塗布する場合、吸収部と水不透過性シートとを固着させる
ホットメルト接着剤に上記混合物を混ぜてホットメルト用ガン等を用いて塗布すると工程の節
約にもなり得る。この場合接着剤の塗布はのぞましくはおむつのたて方向とした方が好ましい。

 又、尿に含まれるアンモニアと反応する試楽を使用する方法も報告されているが、尿器が加水分解されてアンモニアになる為には時間を要し、おむつ換えの時期を遅らせる恐れがあるしアンモニアが生成するといわゆるおむつかぶれの原因にもなり好ましくない。

本発明者らはこれら従来のつかいすておむつ の欠点を解決するため鋭彩研究の結果本発明に 到達した。

即ち、本発明は少なくとも吸収部と該吸収部に接する水不透過性シートを有するつかいすておいて、酸水不透過性シートの該吸収部と接する側に、水により影視する性質のある高分子物質と、粉末もしくは固形状の酸もしくは塩基から選ばれる薬剤と、該薬剤の水溶液のpuにより変色する染料とを混合した混合物を熔酸塗布して成るつかいすておむつを提供するものである。

本発明において、水により膨潤する熱可塑性高分子物質は薬剤と染料の担体となり、赤坊の

- 4 -

料としてはフェノールフタレイン、メチルレッド、メチルオレンジ等いわゆる pH 指示楽がある。

かかる本発明のつかいすておむつを用いると、 尿により膨調した高分子物質とその中に混合された薬剤の解離により、 pHによる変色性を有する染料が変色し、この変色により母親は赤坊の 尿を眼で確かめられかつおむつ換えの時期を判 断できる。

以下に本発明のいくつかの実施例を記す。 実施例 L

上記組成物を加熱熔解して水不透過性シートの内側に強布した。とのときの色は橙色であり、 尿により彫調すると赤紫色を呈し、尿の限度を 目で判定できた。

実施例 2.

特開昭55-36326 (3)

水溶性ポリピニルピロリドン - 1009 酢酸ピニル共重合体 ヒマシ油水素磁加物 49 ポリエチレングリコール 6000 39 リトマス 0.59 無水酒石酸 29

上記組成物を加熱熔解して水不透過性シート の内側に塗布した。このときの色は、背色であ り、尿により影闘すると赤色を呈した。

上述の如く本発明により尿量の限度を手で触れることなく、 直視により判断できる便利なつかいすておむつを提供することができる。

特許出顧人 花王石鹼株式会社 代 理 人 古 谷 馨

- 7. -

DERWENT-ACC-NO: 1999-135924

DERWENT-WEEK:

200456

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE:

* 27 ·

Absorbing article e.g. disposable diaper -

contains

hydrophilic composition containing colouring

indicator

changing colour in presence of acidic compound

and on **pH**

change

----- KWIC -----

Basic Abstract Text - ABTX (1):

Absorbing article has a liquid permeable top sheet, a liquid impermeable

back sheet and a liquid retaining absorbent between the sheets and contains a

hydrophilic composition containing a colouring indicator changing colour in the

presence of an acidic compound and on pH change. The acidic compound maintains

the pH of the composition at at most 4 when the composition contacts with

water. The back sheet is made of a sheet material containing a water soluble

compound becoming alkaline on dissolution in water. The pH of the composition

is > 4 when the water soluble compound of the sheet material contacts

water and the contacted water contacts with the composition, leading to a

colour change of the composition.

Basic Abstract Text - ABTX (3):

USE - The article is typically a disposable diaper or a sanitary napkin.

Basic Abstract Text - ABTX (4):

ADVANTAGE - Without a colour change on simple contacting with small amounts

of water, the article changes colour clearly on absorption of body fluids.

does not cause a colour change during storage under high temperature, high

12/14/2005, EAST Version: 2.0.1.4

humidity conditions.

Title - TIX (1):

· ut

Absorbing article e.g. disposable $\underline{\text{diaper}}$ - contains hydrophilic composition containing colouring $\underline{\text{indicator}}$ changing colour in presence of acidic compound and on pH change

Standard Title Terms - TTX (1):

ABSORB ARTICLE DISPOSABLE $\underline{\textbf{DIAPER}}$ CONTAIN HYDROPHILIC COMPOSITION CONTAIN

COLOUR INDICATE CHANGE COLOUR PRESENCE ACIDIC COMPOUND PH CHANGE

DERWENT-ACC-NO: 1980-30262C

DERWENT-WEEK:

198017

COPYRIGHT 2005 DERWENT INFORMATION LTD

TITLE:

Disposable diaper - with absorbing portion and water-impermeable sheet coated on one side with water-swelling substance, pH indicator etc.

----- KWIC -----

Basic Abstract Text - ABTX (2):

Coating of the mixture is carried out by mixing the mixture into a hot melt

type adhesive to adhere the absorbing portion with water-impermeable

The water-swelling high mol.wt. substance includes polyvinyl pyrrolidone-vinyl

acetate copolymer and PVA-PVAc mixture. The chemicals include a lactic acid,

tartaric acid, p-toluene sulphonic acid, dibasic sodium phosphate. The dye

having discoloration with pH is pH indicator, e.g. phenolphthalein, methyl red and methyl orange.